
Installation




# **Descriptions**

1 – Coordinator Parts

# Information

Unwrap and confirm all parts are accounted for.

Installation




## **Descriptions**

- 1 Coordinator
- 2 RF Connection
- 3 Antenna Connection

## **Information**

- Flip the Coordinator on it side to access the RF Connector.
- Connect the Antenna to the RF Connector.
- Twist Clockwise until hand tight. Do not over tighten.

Installation




## **Descriptions**

- 1 Coordinator
- 2 Ethernet Port & Connection

- Flip the Coordinator to the opposite side of the Antenna to access the Ethernet Port.
- Insert the Ethernet Cord into the Port on the Coordinator.



Installation



# **Descriptions**

- 1 Power Connector
- 2 Power Cord Connection
- 3 Power Cord

- On the left side of the Ethernet Port there is a power connection.
- Insert the barrel end of the Power Cord into the connector.



Installation





#### **Descriptions**

1 - Good & Bad Locations

#### **Parts**




- The Coordinator needs to be placed as high up as possible.
  - Higher the location above the devices, the better the signal strength.
- Place the Coordinator on a Wall Vertically.
- Place the Coordinator on the Ceiling Horizontally.
- Do not place the Coordinator on a desktop or other low surface.
  - Signal strength will be very weak and cause issues.

# WERFAWIFION

# **Network Coordinator**

Installation




## **Descriptions**

- 1 Screw Locations
- 2 Velcro Location

- To mount the Coordinator on a surface, the pre-made holes on the device can be used to screw/anchor it to the wall.
- As the Coordinator does not have a large weight, a
  Velcro strip attached to the back of the device will work.

Installation




# **Descriptions**

- 1 Coordinator Ethernet Cord
- 2 Available Ethernet Port
- 3 Ethernet Connection

- Extend the Ethernet Cable to the closest available ethernet port.
- Plug in the Ethernet Cable to the available Port.

Installation



# **Descriptions**

- 1 Coordinator Power Cord
- 2 110v Outlet
- 3 Power Connection

- Extend the Power Cord to the nearest available 110v
  Outlet.
- Plug the Power Cord into the available Outlet.